

# MCR 3U

## Final Exam Review

As the end of the semester swiftly approaches, preparation for the MCR3U examination is of vital importance. The following is a recommended guideline for studying and preparing for this final exam:

1. FINAL REVIEW HANDOUT: This document. Complete this exam review.
2. TESTS and QUIZZES:
  - a. Study the questions on all previous tests and quizzes.
  - b. Reattempt any questions you answered incorrectly.
  - c. If you cannot answer a question, seek out any help available
    - i. (eg. See your lesson notes, teacher, parents, friends, etc)
    - ii. Extra help continues to be available at lunch time
3. GROUP STUDY SESSIONS:
  - a. It may be helpful to plan group study sessions with your friends.
  - b. Choose a specific theme (eg. Sinusoidal functions), and bring quizzes and tests along to discuss / do particular questions.
  - c. HINT: This is most helpful if the group is NOT too large and remains focused on the areas of concern.

Remember that planning and preparation (and a good sleep the night before the exam) are keys to success!

**DO NOT WAIT UNTIL THE LAST MINUTE TO STUDY.**

Everything in the curriculum can reasonably be included on the exam.  
Exam review sheets help highlight some topics to focus on.



Other Study Materials:

- Cumulative Review pg. 206 #1-32
- Cumulative Review pg. 308 #1-28
- Cumulative Review pg. 538 #1-10
- Extra review sheets under each unit on class website ([emmell.org/mcr3u](http://emmell.org/mcr3u))

## Functions and Transformations

- For each relation,
  - identify the domain and range
  - tell whether it is a function or not.

Justify your answer.



(c)  $y = \sqrt{x - 5}$

(d)  $y = 2(x - 3)^2 + 4$

- For  $f(x) = 2x^2 - 3x + 5$ . Find
  - $f(-2)$
  - $f\left(\frac{1}{3}\right)$
  - $f(0)$
  - $f(2x)$
  - $a$  when  $f(a) = 4$
- Describe the transformations that must be made to the basic function to get the new function.
  - $y = 3f(8 - 4x) - 5$
  - $y = -0.5(2)^{4x} + 1$
  - $y = \frac{1}{x-2} + 4$
  - $y = -2\sqrt{5 - 10x} + 1$
  - $y = \frac{2}{3}\sin\left(\frac{x}{4} + 2\right) - 6$
- For  $g(x) = -3x^2 + 6x + 2$ 
  - graph  $g$  and  $g^{-1}$  on the same set of axes
  - determine the equation for  $g^{-1}$
  - state restrictions on the domain or range of  $g$  so that its inverse is a function
  - assume the domain of  $g$  is  $\{x \mid 0 \leq x \leq 5, x \in \mathbb{R}\}$ . Would the inverse be a function? Justify your answer.

## Quadratics

- Determine the standard form of the equation of the parabola with the following properties:
  - a vertex at  $(3, -5)$  and passing through the point  $(-2, 10)$ .
  - zeros at  $\frac{4 \pm \sqrt{8}}{2}$ , reflected on the  $x$ -axis and vertically stretched by a factor of 2.
  - in the same family as  $y = 3x^2 + 6x + 3$
- Determine the point(s) of intersection between  $f(x) = 5x - 4$  and  $g(x) = 3x^2 + 4x - 8$ .
  - Determine the equation(s) of the line(s) with a slope of  $-4$  and that intersect  $g(x) = 2x^2 - 8x + 1$  once, twice or never.

## Radicals and Rational Functions

7. Simplify the following:

a)  $\sqrt{243}$       b)  $2\sqrt{24}$       c)  $6\sqrt{80} - 3\sqrt{125}$       d)  $\frac{6}{\sqrt{3}}$       e)  $\frac{1-\sqrt{2}}{3+\sqrt{2}}$   
 f)  $(2\sqrt{3}-\sqrt{5})^2$       g)  $(2\sqrt{3}-\sqrt{5})(2\sqrt{3}+\sqrt{5})$

8. Simplify. State any restrictions.

(a)  $\frac{5x^2-5}{x^2-4x-5}$

(b)  $\frac{4x^4y}{3x^2y^4} \times \frac{-6x^3y^2}{10x^4}$

(c)  $\frac{2m^2-m-15}{m-2} \times \frac{m^2-m-6}{m^2-m+9}$


(d)  $\frac{x^2-y^2}{2x^2-8x} \div \frac{(x-y)^2}{2xy}$

(e)  $\frac{1}{x} - \frac{3}{y} + \frac{3x-y}{xy}$

(f)  $\frac{x+2}{x^2+5x+6} - \frac{x-3}{x^2-3x-10}$

## Exponential Functions

9. Determine the exponential function that relates to the following:



d) The function  $y = 4^x$  is reflected on the  $x$ -axis, vertically stretched by a factor of 3 and horizontally shifted to the right 5. The horizontal asymptote is  $y = 3$  (on the left).

10. Land developers had to delay a housing development because the land had been previously used as a nuclear waste pit for Radium-D, an isotope. Health officials ordered them not to build until the

isotope has decayed to  $\frac{1}{\sqrt{2}}$  of its original mass. If the isotope has a half life of 22 years, will they be able to build in 10 years?

11. A certain bacterial strain divides every 0.5 h. If 500 bacteria are present in a culture, how many will there be after: a) 3 h?      b) 6 h?      c)  $n$  h?

12. Solve.  $4^{x-2} = \frac{1}{64}$

13. Simplify using exponent laws:

a)  $-7^0$     b)  $\left(\frac{1}{4}\right)^{-2}$     c)  $25^{m+1} \div 5^{m+1}$     d)  $\left(\frac{4ac}{b^{-3}}\right)^{-2}$     e)  $\frac{3^{-1} - 4^{-1}}{12^{-1}}$     f)  $16^{-\frac{3}{4}}$     g)  $-25^{-\frac{3}{2}}$

h)  $\frac{a^{\frac{1}{2}}a^{\frac{1}{3}}}{a^{\frac{1}{6}}}$     i)  $\sqrt[5]{\frac{1}{32}}$     j)  $\sqrt{\frac{(25x)^{\frac{1}{2}}(8x^2)^{\frac{1}{3}}}{40x^{\frac{1}{5}}}}$     k)  $\left(\sqrt[5]{\frac{x^{\frac{1}{2}}\sqrt{x^3}}{\sqrt{x}}}\right)^2$        

14. Simplify.

(a)  $\frac{16^{\frac{3}{4}} - 27^{-\frac{2}{3}}}{4^{-\frac{1}{2}}}$     (b)  $\left(\frac{27x^2y^{-5}}{64x^{-1}y^4}\right)^{\frac{2}{3}}$     (c)  $\left(\frac{4}{x}\right)^{n-m} (2x^2)^m$

### Periodic Functions and Trigonometry

15. Determine the value of each of the following to 4 decimal places:

a)  $\sec 34^\circ$     b)  $\csc 325^\circ$     c)  $\cot 130^\circ$

16. Determine the value(s) of each angle correct to the nearest degree,  $0^\circ \leq \theta \leq 360^\circ$ :

a)  $\sec \theta = 2.5741$     b)  $\csc \theta = -5.8452$     c)  $\cot \theta = -0.4568$

17. Determine the exact value(s) of the following:

a)  $\sec 30^\circ$     b)  $\csc 300^\circ$     c)  $\cot 135^\circ$    

18. What point on the unit circle corresponds to a rotation indicated below?

a)  $30^\circ$     b)  $120^\circ$     c)  $225^\circ$     d)  $330^\circ$     e)  $270^\circ$

19. Solve. Round angles to the nearest degree.

a)  $5\cos\theta - 4 = 0$     b)  $3\sin^2\theta - 11\sin\theta - 4 = 0$

20. Prove that  $(\tan x + \tan y)(1 - \cot x \cot y) + (\cot x + \cot y)(1 - \tan x \tan y) = 0$ .

21. Prove each identity

(a)  $\frac{2}{\sin^2\theta} = \frac{1}{1 - \cos\theta} + \frac{1}{1 + \cos\theta}$     (b)  $\tan^2\theta + \cos^2\theta + \sin^2\theta = \frac{1}{\cos^2\theta}$


22. Determine the number of solutions each of the following triangles will have

a)  $\angle A = 44.3^\circ, a = 11.5$  m, and  $b = 7.7$  m    b)  $\angle A = 29.3^\circ, b = 20.5$  cm, and  $a = 12.8$  cm

23. Solve triangle LMN, given  $\angle L = 38^\circ, l = 30$ cm, and  $n = 45$ cm.

24. An airplane carrying smugglers leaves a private airfield at 06:00 and flies on a course of N40°E at 200 km/h. The plane is detected by radar at the police airport, which is located 150 km Northwest of the private airfield. At 06:30 the police airplane leaves its airport with the intention of intercepting the smuggler at 08:30. At the time the smugglers are intercepted by the police airplane, how far away are the smugglers from the police airport? Round your answer to the nearest kilometer. Recall: speed = dist  $\div$  time and Northwest means N45°W.

25. For the periodic function shown below identify the amplitude, the period, then determine a sine equation and a cosine equation for the function.



26. Sketch the graph of each function

a)  $f(x) = 3\sin x - 2$                       b)  $-2\cos(x - 30^\circ)$

27. During high tide, at 12:06 a.m., the water in an inlet is 18 m deep. During low tide, which occurs 12 hours later, it is 11.5 m deep.

- Determine an expression for the water depth in the inlet,  $t$  hours after high tide.
- Sketch a graph of the function over a 24-h period.
- Determine the times on this day when the water is 15 m deep and 12 m deep.

### Discrete

28. Determine the first six terms of the sequence in which  $t_1 = 5$ ,  $t_2 = 3$ , and  $t_n = 4t_{n-1} + 2t_{n-2}$ .

29. For each sequence, find

i. the general term

ii.  $t_{25}$

(a)  $-4, 5, 14, \dots$

iii.  $S_{20}$

(b)  $3, 3.3, 3.63, 3.993, \dots$

30. Determine the number of terms in each sequence.

a)  $3, 12, 48, \dots, 201\ 326\ 592$

b)  $18, 22, 26, \dots, 162$

31. Determine

- The amount of \$8500 will grow to if invested at 8%/a compounded quarterly for 10 years.
- The principal that must be invested now at 6%/a compounded annually to be worth \$10 000 in 5 years.

32. A rare coin was bought for \$1200; its value increases by 5% each year. Determine

- an algebraic model for the coin's value over time
- the coin's value ten years after it was bought
- the coin's value 28 months after it was bought

33. What is the future value of the annuity in which you invest \$360 per month earning an interest of 7.2%/a compounded monthly for 7 years?

34. Fatima takes out a mortgage of \$200 000 amortized over 25 years. The bank offers a 5.25% interest rate compounded semi-annually for a 10-year term.

- Calculate the equivalent interest rate.
- Determine the monthly payment.
- Determine the total amount paid in 10 years.

35. Determine the values in the 5<sup>th</sup> row of Pascal's triangle.

**Answers:**

1.

- a.  $D = \{x \in \mathbb{R} \mid x \leq 1\}$ ,  $R = \{y \in \mathbb{R}\}$ , not a function  
 b.  $D = \{x \in \mathbb{R} \mid x \neq 0\}$ ,  $R = \{y \in \mathbb{R} \mid y > 0\}$ , yes is a function  
 c.  $D = \{x \in \mathbb{R} \mid x \geq 5\}$ ,  $R = \{y \in \mathbb{R} \mid y \geq 0\}$ , yes is a function  
 d.  $D = \{x \in \mathbb{R}\}$ ,  $R = \{y \in \mathbb{R} \mid y \geq 4\}$ , yes is a function

2. a) 19      b)  $\frac{38}{9}$       c) 5      d)  $8x^2 - 6x + 5$       e)  $a = 1$  or  $0.5$

3. Example: d)  $y = -2\sqrt{5-10x} + 1$  write as:  $y = -2\sqrt{-10(x-0.5)} + 1$

- Reflection on the  $x$ -axis, vertical stretch, factor is 2
- Reflection on the  $y$ -axis, horizontal compression, factor is  $\frac{1}{10}$
- Horizontal translation right 0.5 and vertical translation up 1.

\*Factor the "k"-value!\* i.e. a)  $y = 3f[-4(x-2)] - 5$  e)  $y = \frac{2}{3} \sin\left[\frac{1}{4}(x+8)\right] - 6$

4. (b)  $g^{-1}(x) = \pm \sqrt{\frac{5-x}{3}} + 1$ , (c)  $D(g(x)) = \{x \mid x \geq 1, x \in \mathbb{R}\}$  or  $D(g(x)) = \{x \mid x \leq 1, x \in \mathbb{R}\}$

(d) no, graph of  $g$  in that region fails the horizontal line test

5. a)  $f(x) = 0.6x^2 - 3.6x + 0.4$       b)  $f(x) = -2x^2 + 8x - 4$       c) answers will vary, same zeros or same vertex

6. a)  $(-1, -9)$  and  $(\frac{4}{3}, \frac{8}{3})$       b)  $y = -4x + k$ . If  $k = -1$ , one sol<sup>n</sup>, if  $k > -1$ , two sol<sup>ns</sup> and if  $k < -1$ , no sol<sup>ns</sup>.

7. a)  $9\sqrt{3}$       b)  $4\sqrt{6}$       c)  $9\sqrt{5}$       d)  $2\sqrt{3}$       e)  $\frac{5-4\sqrt{2}}{7}$       f)  $17-4\sqrt{15}$       g) 7

8. (a)  $\frac{5x(x-1)}{(x-5)}$ ,  $x \neq 5, -1$       (a)  $\frac{5x(x-1)}{(x-5)(x+1)}$ ,  $x \neq 5, -1$       (b)  $-\frac{4x}{5y}$ ,  $x \neq 0, y \neq 0$       (c)  $\frac{(2m+5)(m-3)^2}{m^2-m+9}$ ,  $m \neq -2$ ,

(d)  $\frac{y(x+y)}{(x-4)(x-y)}$ ,  $x \neq 0, 4, y, y \neq 0$       (e)  $0, x \neq 0, y \neq 0$       (f)  $\frac{-3x-1}{(x+3)(x-5)(x+2)}$ ,  $x \neq -3, 5, -2$

9. a)  $N(t) = 45000000\left(\frac{1}{3}\right)^t$       b)  $y = -2^x + 3$       c)  $y = 2(3^{-x}) + 2$       d)  $y = -3(4^{x-5}) + 3$

10. No, it would take exactly 11 years.

11. a) 32 000      b) 2 048 000      c)  $500(2^{2^n})$

12.  $x = -1$

13. a)  $-1$       b) 16      c)  $5^{m+1}$       d)  $\frac{1}{16a^2b^6c^2}$       e) 1      f)  $\frac{1}{8}$       g)  $-\frac{1}{125}$       h)  $a^{\frac{2}{3}}$       i)  $\frac{1}{2}$       j)  $\frac{1}{2}x^{\frac{1}{2}}$       k)

14. (a)  $\frac{142}{9}$       (b)  $\frac{9x^2}{16 \cdot 6}$       (c)  $\frac{2^{2n}x^{3m}}{2^m x^n}$

15. a) 1.2062      b) -1.7434      c) -0.8391

16. a)  $67^\circ$  or  $293^\circ$       b)  $190^\circ$  or  $350^\circ$       c)  $115^\circ$  or  $295^\circ$

17. a)  $\frac{2}{\sqrt{3}}$       b)  $-\frac{2}{\sqrt{3}}$       c) -1

18. a)  $\left(\frac{\sqrt{3}}{2}, \frac{1}{2}\right)$  b)  $\left(-\frac{1}{2}, \frac{\sqrt{3}}{2}\right)$  c)  $\left(-\frac{1}{\sqrt{2}}, -\frac{1}{\sqrt{2}}\right)$  d)  $\left(\frac{\sqrt{3}}{2}, -\frac{1}{2}\right)$  e)  $(0, -1)$
19. a)  $37^\circ, 323^\circ$ ; b)  $341^\circ, 200^\circ$
20. Hint: expand out, do not re-write in terms of  $\sin x$  and  $\cos x$ .
21. a) hint: start with common denominators on the RHS  
 b) hint: start with the LHS and use Pythagorean identities
22. a) one solution    b) two solutions
23.  $\angle N = 67^\circ, \angle M = 75^\circ, m = 47 \text{ cm}$
24. 509 km
25. amplitude = 10, period = 4; answers will vary for the equation
26. 5, 3, 22, 94, 464, 2044
27. a)  $d(t) = 3.25\cos[15^\circ(t - 0.1)] + 14.75$ , (c) 5:48am and 6:23pm, 9:57am and 2:15pm
28. (a)  $t_n = -13 + 9n, 212, 1630$ , (b)  $t_n = 3(1.1)^{n-1}, 29.55, 171.82$
29. (a) 14 (b) 37
30. check your answer with a graphing program or graphing calculator
31. (a) \$18 768.34 (b) \$7472.58
32. (a)  $t_n = \$1200(1.05)^n$  (b) \$1954.67 (c) \$1344.69
33. \$39 170.30
34. a) 0.43279 %    b) \$1191.84    c) \$143 020.80
35. 1    4    6    4    1